

BRANCH PRESIDENT'S WEEKEND 2017



# IT'S THE HEALTH & SAFETY DANCE





# Learning Centre 1 2017-2018




## Ron Gouweeloos


Learning Centre 1: Beth Butcher  
Leadership/School Effectiveness  
Superintendents of Education - Learning Centre 1

- LN01, Leila Girchar Hill
- LN02, Ian Allison
- LN03, Rauda Dickinson (Acting)
- LN04, Vicky Branco
- LN05, Lorraine Linton
- LN06, Angela Nardi-Adessa
- LN07, Kathleen Garner


- ⊗ Caring and Safe School
- \* Advance Program/ALC
- ★ Secondary Alternative School



Produced by:  
Planning Division, TDSE  
July 2017  
Source:  
Base Map - Geospatial Competency Centre  
Facility - Planning Division, TDSE




# Learning Centre 2 2017-2018



EdVance Program/ALC Outside LC2  
 \* Humanithorpe Collegiate Institute  
 OALC Secondary School  
 Scarborough Centre for Alternative Studies  
 Yorkville Secondary School

- Caring and Safe School
- EdVance Program/ALC
- Secondary Alternative School
- Ward
- Learning Centre Boundary
- Railway
- Road
- Utility Line
- Waterway




Centre 2

Learning Centre 2.mxd



# Learning Centre 4 2017-2018




Executive Superintendent  
Learning Centre 4: Sandy Spyropoulos  
Aboriginal Education  
Superintendents of Education - Learning Centre 4

- ◆ LN22. Tracy Hayhurst
- ◆ LN23. Mary Jane McNamara
- ◆ LN24. John Chasty
- ◆ LN25. Miko Gallagher
- ◆ LN26. Jans Phillips-Long
- ◆ LN27. Sandra Tondat
- ◆ LN28. Lucy Giannola

- ⊗ Caring and Safe School
- ✳ EdVance Program/ALC
- ★ Secondary Alternative School

- Ward
- Learning Centre Boundary
- Railway
- Road
- Utility Line
- Waterway



Sarah Giddens

# Big changes to Health & Safety Inspections

Annual inspection with union affiliates in secondary schools only



Monthly solo inspection of high risk areas in both secondary & elementary 600 sites

Union Representative



Worker Representative for CUPE, Trades, PSSP, ETT

Regional & Central Committees



Only one Central Committee

Inspections? What are we looking for..



askwednesdayaddams | tumblr

Here are some common occupational health & safety concerns we find










MS STARTER  
ON/OFF  
MS STARTER

**AVIS AIR MASTER SYSTEMS**

Form 3001 Certification  
Date: 1/15/16  
By: [Signature]





EXIT



FLAMMABLE  
KEEP FIRE AWAY

VWR Scientific

**FLAMMABLE**  
**KEEP FIRE AWAY**






























# CAREER CORNER

IF YOU DETECT  
**FIRE**  
 SOUND THE  
**ALARM**  
 WHEN YOU HEAR THE  
 ALARM LEAVE BUILDING



Bendale R.T.I.  
 Important Dates 2013-2014

September 2013	October 2013	November 2013	December 2013	January 2014	February 2014	March 2014	April 2014	May 2014	June 2014
1	1	1	1	1	1	1	1	1	1
15	15	15	15	15	15	15	15	15	15
30	30	30	30	30	30	30	30	30	30
15	15	15	15	15	15	15	15	15	15
30	30	30	30	30	30	30	30	30	30
15	15	15	15	15	15	15	15	15	15
30	30	30	30	30	30	30	30	30	30
15	15	15	15	15	15	15	15	15	15
30	30	30	30	30	30	30	30	30	30
15	15	15	15	15	15	15	15	15	15
30	30	30	30	30	30	30	30	30	30

Please note: Regular School Days begin at 8:55 a.m. The first two Tuesdays of each month are late start days, school begins at 10:00 a.m.

## CONTRACT IDENTIFICATION

- The following is a list of all contracts identified by the contractor for the project.
- Contract No. 123456789
  - Contract No. 987654321
  - Contract No. 111111111
  - Contract No. 222222222
  - Contract No. 333333333
  - Contract No. 444444444
  - Contract No. 555555555
  - Contract No. 666666666
  - Contract No. 777777777
  - Contract No. 888888888
  - Contract No. 999999999
  - Contract No. 000000000
  - Contract No. 101010101
  - Contract No. 202020202
  - Contract No. 303030303
  - Contract No. 404040404
  - Contract No. 505050505
  - Contract No. 606060606
  - Contract No. 707070707
  - Contract No. 808080808
  - Contract No. 909090909
  - Contract No. 010101010
  - Contract No. 020202020
  - Contract No. 030303030
  - Contract No. 040404040
  - Contract No. 050505050
  - Contract No. 060606060
  - Contract No. 070707070
  - Contract No. 080808080
  - Contract No. 090909090
  - Contract No. 101010101
  - Contract No. 111111111
  - Contract No. 121212121
  - Contract No. 131313131
  - Contract No. 141414141
  - Contract No. 151515151
  - Contract No. 161616161
  - Contract No. 171717171
  - Contract No. 181818181
  - Contract No. 191919191
  - Contract No. 202020202
  - Contract No. 212121212
  - Contract No. 222222222
  - Contract No. 232323232
  - Contract No. 242424242
  - Contract No. 252525252
  - Contract No. 262626262
  - Contract No. 272727272
  - Contract No. 282828282
  - Contract No. 292929292
  - Contract No. 303030303
  - Contract No. 313131313
  - Contract No. 323232323
  - Contract No. 333333333
  - Contract No. 343434343
  - Contract No. 353535353
  - Contract No. 363636363
  - Contract No. 373737373
  - Contract No. 383838383
  - Contract No. 393939393
  - Contract No. 404040404
  - Contract No. 414141414
  - Contract No. 424242424
  - Contract No. 434343434
  - Contract No. 444444444
  - Contract No. 454545454
  - Contract No. 464646464
  - Contract No. 474747474
  - Contract No. 484848484
  - Contract No. 494949494
  - Contract No. 505050505
  - Contract No. 515151515
  - Contract No. 525252525
  - Contract No. 535353535
  - Contract No. 545454545
  - Contract No. 555555555
  - Contract No. 565656565
  - Contract No. 575757575
  - Contract No. 585858585
  - Contract No. 595959595
  - Contract No. 606060606
  - Contract No. 616161616
  - Contract No. 626262626
  - Contract No. 636363636
  - Contract No. 646464646
  - Contract No. 656565656
  - Contract No. 666666666
  - Contract No. 676767676
  - Contract No. 686868686
  - Contract No. 696969696
  - Contract No. 707070707
  - Contract No. 717171717
  - Contract No. 727272727
  - Contract No. 737373737
  - Contract No. 747474747
  - Contract No. 757575757
  - Contract No. 767676767
  - Contract No. 777777777
  - Contract No. 787878787
  - Contract No. 797979797
  - Contract No. 808080808
  - Contract No. 818181818
  - Contract No. 828282828
  - Contract No. 838383838
  - Contract No. 848484848
  - Contract No. 858585858
  - Contract No. 868686868
  - Contract No. 878787878
  - Contract No. 888888888
  - Contract No. 898989898
  - Contract No. 909090909
  - Contract No. 919191919
  - Contract No. 929292929
  - Contract No. 939393939
  - Contract No. 949494949
  - Contract No. 959595959
  - Contract No. 969696969
  - Contract No. 979797979
  - Contract No. 989898989
  - Contract No. 999999999
  - Contract No. 000000000



YOUR EXIT IS  
 NORTH ENTRANCE  
 NORTH PARK

*Paul  
 I am going to need  
 hearing glasses  
 being pulled down etc  
 hate breaks etc*

*Debbie  
 all my love  
 to my  
 sweetest  
 Paul  
 June 2013*

**UNA Training**

A DAY IN THE TRADES 2013

Please visit the following stations:

- Cement Finishing
- Tile Construction
- Sewer & Watermain Construction
- Construction Craft Worker
- Brick & Stone Mason
- Landscaping Construction
- House Framing Construction
- Small Machine Operation
- Health & Safety Training

**JAC**  
 Joint Apprenticeship Council

How to Apply

Construction and Maintenance Sector

Learn while you learn!




Handwritten note on the door.

R-1  
LAB  
145

Handwritten note on the door handle.



ONTARIO BOARD OF EDUCATION  
**FIRE ALARM**  
 ON THE CONTINUOUS RINGING OF THE  
 FIRE BELL  
 EVERYONE SHALL WALK OUT OF THE BUILDING.  
 EXIT South West Stairs  
 TO THE GROUND FLOOR  
 S.W. STAIRS



1-800  
 1-800  
**FIRE ALARM**  
 ON THE CONTINUOUS RINGING  
 OF THE FIRE BELL  
 EVERYONE SHALL WALK OUT OF THE BUILDING  
**EXIT**  
 FIRE PROCEDURES












 PLEASE DO NOT  
REMOVE FROM OFFICE.  
MUST BE ON HAND AT  
ALL TIME



# ASBESTOS MANAGEMENT PROGRAM



comes in

12-01	12-02	12-03
12-04	12-05	12-06
12-07	12-08	12-09
12-10	12-11	12-12
12-13	12-14	12-15
12-16	12-17	12-18
12-19	12-20	12-21
12-22	12-23	12-24
12-25	12-26	12-27
12-28	12-29	12-30
12-31		

Art

Handwritten notes and papers on the chalkboard.

ELMO











IMPROVE  
Your Study  
POWER

25  
30570

5 REPORT COVERS  
5 COUVERTURES DE RAPPORT



ViviMouse™  
Model: 19400 A  
CE

The Best Computer Deals.  
Anywhere. Anytime.

CAN ART  
ALL MEDIA EXTRACTION ETC.

AverMedia  
DVD EZMaker 1.50 Gold  
Burn Good Memory in Digital

AverMedia  
DVD EZMaker 1.50 Gold  
Burn Good Memory in Digital

Model: 19400 A  
CE














CVR Electronic Repair Solutions  
General Goods & Repairs  
906.551.0229  
Address: 1201  
EMU 118432  
Business Location  
Phone: 906.551.0229  
Fax: 906.551.0229  
E-mail: info@cvr.com

WARNING: OPEN  
CIRCUIT  
DANGER  
DO NOT TOUCH  
INTERNAL PARTS  
OR COVER











344	No Hazard Found			NO	-	-
chem sto...	27 DAYS	 portable ladder - damag...		NO	"A"	-
Prep Roo...	27 DAYS	 portable ladder - damag...		NO	"A"	-
134 wood	27 DAYS	 equipment damaged or...		NO	"B"	-
343	27 DAYS	 exposed wiring/damag...		NO	"A"	-
boiler room		 inspections not up to da...		NO	"B"	10/03/2017
135		 inappropriate storage of...		NO	"B"	10/03/2017
301		 damaged surface (ie: wa...		NO	"A"	10/03/2017
305		 equipment damaged or...		NO	"B"	10/03/2017
313		 door not opening or clo...		NO	"A"	10/03/2017
313 and...		 fire exit route sign (yello...		NO	"B"	10/03/2017
338 and...		 equipment damaged or...		NO	"B"	10/03/2017



# We look at Health & Safety Near Miss Forms

NOV 17 2016 12:03PM

Toronto District School Board

HEALTH AND SAFETY  
CONCERN/NEAR MISS INCIDENT FORM

CONCERN  
 NEAR MISS

Instructions are on the reverse side.

Worker's Name: [REDACTED]  
Worker's Union: [REDACTED] Supervisor's Name: [REDACTED]  
DATE this form was submitted to the Supervisor:

**The Worker's Concern**

Describe the Concern/Near Miss Incident, its background and suggestions for resolution. Retain a copy of this page before submitting to the Supervisor.

On Friday November 11, 2016, Studio 6 was flooded by way of the elevator shaft wherein a copious amount of water flooded the entire studio to a depth of approximately 1.5 inches. After the water was removed by the school custodians, the studio flooded again on Tuesday November 15, 2016 - again from the elevator shaft. This time the amount of water seemed to be greater than the first event with the entire first floor of the studio (1500+ SF) flooding to a depth of 1.5 inches in less than an hour! On Wednesday November 16, 2016, the water was still present and despite the valiant efforts of the custodians, it was not removed until the afternoon of the 16th. Now it is Thursday, November 17, 2016, and the studio smells like mold. There are obvious signs of water damage (doors swelled, baseboard molding falling off, paint peeling off the floor, damp and wet areas, etc.). I have moved my class out of the studio until I can get an all-clear as to the state of the environment in St. 6. Also, there are numerous cracks in the floor of the room adjacent to the elevator shaft that should be examined by an engineer to ascertain the structural integrity of the studio's lower level. The elevator maintenance crew discovered a large subterranean water-course when they drilled for a new piston last year and I am concerned that this may have impacted the school's foundation.

Attach additional pages as needed.

**The Supervisor's Response**

Date the Concern/Near Miss Incident Form was received by the Supervisor:

The Supervisor shall respond with action taken in the space below within 5 business days of receipt of this Form. Copies of this completed form, including the response, are to be immediately forwarded to the Health and Safety Office at 17 Fairmeadow Ave., Suite 203 or by fax 416-397-3215.

An inspection was conducted by Health and Safety on Nov. 17, 2016 regarding the issues. The inspection confirms that there are no concerns about mold and asbestos. FTL has created TR regarding the cracks in the floor.

Attach additional pages as needed.

Date of Supervisor's response: [REDACTED] Supervisor's signature: [REDACTED]  
Date of receipt of response by worker:



# HEALTH AND SAFETY CONCERN/NEAR MISS INCIDENT FORM

CONCERN  
 NEAR MISS

Instructions are on the reverse side.

Worker's Name:		Work Site:	
Worker's Union Affiliation:		Supervisor's Name:	
DATE this form was submitted to the Supervisor:			

### The Worker's Concern

Describe the Concern/Near Miss Incident, its background and suggestions for resolution. Retain a copy of this page before submitting to the Supervisor.

I am pregnant and the roof at my work site (Woodbine JHS) is being redone. All staff were informed prior to the start of the project, and told that the school would be sealed off, a ventilation system installed and that, "the air will be cleaner than it normally is". The asphalt boilers started yesterday and the smell was all over the first and second floors. My doctor has told me I should not be smelling these fumes, I want to be at school teaching my students, however unless the fumes in the building can be eliminated it is not safe for →

Attach additional pages as needed.

### The Supervisor's Response

Date the Concern/Near Miss Incident Form was received by the Supervisor:

The Supervisor shall respond with action taken in the space below within 5 business days of receipt of this Form. Copies of this completed form, including the response, are to be immediately forwarded to the Health and Safety Office at 17 Fairmeadow Ave., Suite 203 or by fax 416-397-3215.

- 24 Sept MSDS provided for Sharon to take to her Dr. in advance of all roof work beginning
- arrangements made in advance of work for all windows in 201 to be sealed
- discussion w/ Assistant Project Supervisor Dominique Clapham in advance re Sharon's concern and need for filtration/fan/attention in room 207
- on Oct 6 when roofing started, room 205 on opposite side of the school offered but faint smell there.
- Sharon was supported in leaving school immediately when the alternate room was not adequate

Attach additional pages as needed.

Date of Supervisor's response:		Supervisor's signature:	
Date of receipt of response by worker:			

We also investigate accidents and near misses



**CAUTION**

**CHEMICAL & BIOLOGICAL  
STORAGE ONLY**

**No food or drink for  
consumption allowed**

**NO FOOD  
OR DRINK  
PERMITTED**






# Role of Joint Health & Safety Committee

## What is the Inspectors role?



# Composed of both Management & workers members



## JOINT HEALTH AND SAFETY COMMITTEE SEPTEMBER 12<sup>TH</sup>, 2017

2nd Copy

Members			
Worker Members		Management Members	
Name	Affiliation	Name	Department
Solange Scott solange.scott@tdsb.on.ca	OSSTF PSSP 647-449-9915	Mike Achilles (Co-Chair) michael.achilles@tdsb.on.ca	In House Construction Administrator 416-395-4600
Ando Kass akass@osstftoronto.ca	OSSTF TTBU 647-389-8680	Sam Miceli sam.miceli@tdsb.on.ca	TSAA – Principal 416-394-4826
Mike Martin mmartin@ett.on.ca;	ETFO-ETT 416-460-9305	Gary Crossdale gary.crossdale@tdsb.on.ca	Safe and Caring Schools 416-396-9170
Mark Ratcliffe markratcliffe@tradescouncil.com	MCSTC 416-561-9985	Andrew Howard andrew.howard@tdsb.on.ca	Superintendent of Education 416-393-9237
Todd Prescott todd.prescott@tdsb.on.ca	OSSTF -OTBU (416) 666-9256	John Long john.long@tdsb.on.ca	Regional Manager, Plant Operations East 416-396-7874
Andrew Duke andrew.duke@cupe4400.org	CUPE D 647-501-3687	Lori Moore lori.moore@tdsb.on.ca	Supervising Principal, Special Education Services 416-396-7968
Mara Boedo mara.boedo@cupe4400.org	CUPE C 647-822-1539	Chris Moore chris.moore@tdsb.on.ca	Co-ordinator, Standards & Compliance 416-395-9749
Paul Amaral Paul.Amaral@tdsb.on.ca	ETFO-OT 416-319-8068	Debby Morgado Debby.morgado@tdsb.on.ca	Workplace Accident Investigation Officer, Occupational Health & Safety 416-397-3465
Hellen Yousufzai (Co-Chair) hellen.yousufzai@cupe4400.org	CUPE B (HY) 416-873-8562		

**Committee Resource Person:** Chris Broadbent, Manager, Occupational Health & Safety chris.broadbent@tdsb.on.ca 416-397-3210

- ✓ We bring up Health & Safety Concern Forms
- ✓ Add items to the agenda that has urgency and been neglected and pose a hazard
- ✓ Issues around workplace violence & student behavior
- ✓ Tech and Science Labs
- ✓ recommendations i.e. Keeping stats on violence
- ✓ We liaise with management i.e. Safe & Caring Schools
- ✓ Fight for more HS training



# We attend Ministry of Labor (MOL) visits

Ministry  
of  
Labour **Safe At Work**

 **Ontario**  
**Field Visit Report**

Operations Division Occupational Health and Safety

Page 1 of 2

OHS Case ID: **04247LRGQ039** Visit Date: **2017-SEP-21** Field Visit Type: **INITIAL**  
 Field Visit no: **04247LRGQ040** Notice ID:  
 Workplace Identification: **HUMBERSIDE COLLEGIATE INSTITUTE**  
**280 QUEBEC AVENUE, TORONTO, ON, CANADA M6P 2V3**  
 Telephone: **(416) 393-8122** JHSC Status: **Active** Work Force #: **50** Completed %:

Persons Contacted: **JEANINE BOTTS- AST.HEALTH AND SAFETY OFFICER; KIM MCLEARN-PRINCIPAL; JIMMY SILVA-SITE SUPER (TOPLINE)**  
 Visit Purpose: **TO RESPOND TO A WORKPLACE COMPLAINT**  
 Visit Location: **OFFICE**  
 Visit Summary: **NO ORDERS ISSUED-SEE DETAILED NARRATIVE**

**Detailed Narrative:**

Arrived on-site to respond to a workplace complaint. Accompanied by Ministry of Labour Hygienist R. Yang

COMPLAINT DETAILS: "Caller stating that the school roof is being tarred and no air conditioning, no ventilation in the school. Workers inside school are unable to open any windows inside the school due to smell of tar from roof being re-done. Caller stated that the Principal has initiated air quality testing. Caller is concerned about the workers conducting the work on the roof. Caller stated that workers are required to do work in very hot temperatures and exposed to odour from tar and roof work."

**HYGIENST COMMENTS:**

At the time of the inspection, it was reported that VOCs levels in the school had been tested by an outside contractor. The testing results were below occupational exposure limits. In addition, air purifiers had been set up inside school to alleviate potential asphalt smell. During the field visit, the construction superintendent was reminded to conduct health and safety procedures (shut off/cover air intakes/ close windows, prioritizing set-up locations of the asphalt kettle) with the construction & school maintenance crew prior to the beginning of the roofing activities. It was reported that the asphalt tarring on the roof will be completed by September 22, 2017. The workplace parties are reminded to ensure that the windows adjacent to the asphalt kettle are to remain closed during tarring activities.

A heat stress policy and program had been developed by the school board. It was reported that all the staff had been trained on the heat stress policy and program. Fans and bottles of water were observed at the workplace.


**OTHER INFORMATION**

Anyone with questions relating to this report or any orders is encouraged to call the Ministry of Labour Inspector who authored this report.  
 The workplace parties are asked to review the standard wording repeated on the footer of each page of this report.

Recipient	Inspector Data	Worker Representative
Name <u>KIM MC LAREN</u>	<b>RYAN MARCHANT</b> OCCUPATIONAL HEALTH & SAFETY INSPECTOR PROVINCIAL OFFENCES OFFICER 1600-5001 Yonge St, North York ON M7A 0A3 MOLCOMPLIANCEHSTORW@ontario.ca Tel: (416) 816-4194 Fax: (647) 777-5013	Name _____
Title <u>PRINCIPAL</u>		Title <u>[Signature]</u>
Signature <u>[Signature]</u>	Signature <u>[Signature]</u>	Signature _____

You are required under the Occupational Health and Safety Act to post a copy of this report in a conspicuous place at the workplace and provide a copy to the health and safety representative or the joint health and safety committee if any. Failure to comply with an order, decision or requirement of an inspector is an offence under Section 66 of the Occupational Health and Safety Act. You have the right to appeal any order or decision within 30 days of the date of the order issued and to request suspension of the order or decision by filing your appeal and request in writing on the appropriate forms with the Ontario Labour Relations Board, 505 University Ave., 2nd Floor, Toronto, Ontario M5G 2P1. You may also contact the Board by phone at (416) 326-7500 or 1-877-339-3335 (toll free), mail or by website at <http://www.ohs.gov.on.ca/english/homepage.htm> for more information.

# What guides Health & Safety and our Union?



We need to remind our principals...



Things we have observed ....



**Why do TDSB schools in more affluent neighborhoods get problems fixed much faster..?**



Then less affluent...



# Leaky roofs take way to long to fix


















# Asbestos Management Protocol



We have not been given any information and left in the dark

**DANGER**  
ASBESTOS  
CANCER AND LUNG DISEASE HAZARD  
AUTHORIZED  
PERSONNEL ONLY  
RESPIRATORS AND  
PROTECTIVE CLOTHING  
ARE REQUIRED AT THIS  
LOCATION  
**AMIANT**  
PROHIBÉ  
ET DE MALADE POUVOIR  
PERSONNEL AÏRISÉ  
SEULEMENT  
RESPIRATEUR  
VÊTEMENTS PROTÈGE  
NECESSAIRE










BUDGETBIN.CO  
908-578-1438

Things can look really bad...but



**Hazard?**



**Hazard?**




Hazard?





**AEROSTAR**



3435-500-1,2,3

3435-321-1,2,3,4,5,6,7

79797

79796

79799

79798

79800

79801

79805

9817

79791

79790

79788

79789

79787

79785

79784

79783

79780

79779

79778

79809

79810

79811

79806

79788

79789

79787

79785

79784

79783

79780

79779

79778

## All Components

Building F.L.#: 3435 Lester B Pearson Collegiate Institute

Surveyor: Golder Associates

Survey Date(s): Jan 8, 2007 (Jan 8 - 12/07)

Reassessment Surveyor: ECOH Management Inc.

Reassessment Date(s): Jul 26, 2011 (July 25, 2011)

Updates:  No Changes  Refer to Updates Box

By: ECOH Management Inc.

Annual Update: Jan 25, 2013

**Building:** 1 (Lester B Pearson Collegiate Institute)

Location: Basement: 79799			Quantity/Condition				Total	Location Details: Woodworking Shop							
System	Material Description	Component	Good	Fair	Poor	Debris	Quantity	Units	Asbestos %	Asbestos Type	Friable	Visible	Accessibility	Action Code	
FI	Concrete	3	-	-	-	-	-	-	-	-	-	-	-	-	
W	Brick/Block/Concrete	31	-	-	-	-	-	-	-	-	-	-	-	-	
	Drywall And Joint Compound	4	1838.55	0.00	0.00	0.00	1838.55	square feet	-	Presumed	No	Yes	C	6	
CEILING	321-White Texture Coat Ceiling Over Concrete	49	-	-	-	-	-	-	<LOD	No Asbestos Detected					
STRUCTURE	Concrete	3	-	-	-	-	-	-	-	-	-	-	-	-	
DUCTWORK	Uninsulated	2	-	-	-	-	-	-	-	-	-	-	-	-	
DUCTWORK	Asbestos Cloth Flexible Joint On Duct	37	3	0	0	0	3	each	-	Presumed	No	Yes	C	6	
PIPING SYSTEMS	500-Parging Cement On Fittings	24	-	-	-	-	-	-	<LOD	No Asbestos Detected	-	-	-	-	
PIPING SYSTEMS	Fibreglass And Uninsulated	5	-	-	-	-	-	-	-	-	-	-	-	-	
PIPING SYSTEMS	Transite Asbestos Cement Pipe	6	12.00	0.00	0.00	0.00	12.00	linear feet	-	Presumed	No	Yes	B	6	
MECHANICAL EQUIPMENT	Uninsulated	2	-	-	-	-	-	-	-	-	-	-	-	-	
OTHER	Window Sealers	12	1	0	0	0	1	each	-	Presumed	No	Yes	A	6	
<b>Comments:</b>			Limited Access to Deck or Ceiling Space; Ceiling space was not fully accessible at the time of assessment due to obstructions by mechanical or structural elements or limited points-of-entry. Asbestos-containing materials (ACM) may exist in the ceiling space. If this space is to be accessed for any reason, such as a roof leak, etc., an inspection should be conducted by a competent person and any suspect ACM should be sampled or presumed to contain asbestos.												

Updates:

Pink Asbestos binder says..



# How to make it work in my school?





## INTERNAL RESPONSIBILITY SYSTEM? (IRS)

According to the Ontario Health & Safety Act, in order for the internal system to work, all staff must work for the greater good of Health & Safety.



## According to OHSA Sec. 28

### A worker shall...


- (d) Report to his or her employer or supervisor any contravention of this Act or the Regulations or the existence of any hazard of which he or she knows.
- Report in person if possible, followed up by written notification
- Always keep written copies of notifications on file

Poor Air  
Quality





# Health and Safety Bulletin Boards



Out of this nettle, danger, we  
pluck this flower, safety.  
~William Shakespeare

